





## Upgrade your Workhorse to new Thermocouple Rails for WAUKESHA® 12 Cylinder VHP Engines

MOTORTECH now offers a series of different Thermocouple Rail Upgrade Kits. The new rails are installed in the “Vee” or on the side of the engine. These rail kits replace any prior system if installed.


- Direct replacement for WAUKESHA® Thermocouple Conduit Assembly
- Available in different versions
- Prefabricated system guarantees easy exchange and installation
- Serviceable stainless steel wiring rail, no foam inside
- 14 thermocouples, Type K (NiCrNi), 90°
- Harness with flex conduit and J-Box or a large connector to fit the ESM
- Rail mounting brackets included in each kit



Stainless Steel Wiring Rail Assembly



Thermocouples, Type K, NiCrNi, 90°



Harness with flex conduit and fitting

## 3 Versions Available

### Rail kit with 8 ft. harness to J-Box

#### Thermocouple wiring rail kit contains:

- 14 thermocouples NiCrNi, 90°, equivalent to WAUKESHA® P/N 211288S
- 8.5 ft. harness with flex conduit and fitting
- Rail mounting bracket (2 sets)
- Junction box P/N 06.05.076 with 44 terminals



#### Ordering Information

P/N	Description	Equivalent to
D211359G-MOT	Thermocouple wiring rail	D211359G

### Rail kit with 50 ft. harness for direct wiring

#### Thermocouple wiring rail kit contains:

- 14 thermocouples NiCrNi, 90°, equivalent to WAUKESHA® P/N 211288S, but 50 ft. cable length
- 50 ft. harness with flex conduit and fitting
- Rail mounting bracket (2 sets)




#### Ordering Information

P/N	Description	Equivalent to
77.75.068-50	Thermocouple wiring rail	-

## Rail kit with 8 ft. harness and connector to ESM wiring system

### Thermocouple wiring rail kit contains:

- 14 thermocouples NiCrNi, 90°, equivalent to WAUKESHA® P/N 211288S
- 8 ft. harness with flex conduit and 33 pole connector, socket
- Rail mounting bracket (2 sets)



### Ordering Information


P/N	Description	Equivalent to
77.75.066	Thermocouple wiring rail	214036D

## Spare Parts

Thermocouples are available as spare parts.

### Ordering Information

P/N	Description	For Use with	Equivalent to
56.01.094-23	Thermocouple, NiCrNi, 90°, lead length 23ft.	D211359G-MOT, 77.75.066	211288S
56.01.094-59	Thermocouple, NiCrNi, 90°, lead length 59ft.	77.75.068-50	–



## Optional Parts

Optionally MOTORTECH offers suitable Swagelok®-fittings to the assembly of thermocouples.

### Ordering Information

P/N	Description	Required Quantity	Equivalent to
64.40.038	Swagelok® fitting, 1/4", outer thread 1/4" NPT	14 pcs. per rail kit	194929



## We aim at your problems!



Regardless of which part of the globe we need to travel to.

We know that the stakes are high, and therefore we outperform the others. That is because we want everything to run smoothly at your site, everywhere and at any time.



This is entirely in keeping up with our motto:

Let us drop everything and work on your problem!



Distribution partner for DENSO spark plugs



### MOTORTECH GmbH

Hogrevestr. 21-23  
29223 Celle, Germany  
Phone: +49 5141 93 99 0  
Fax: +49 5141 93 99 99  
[www.motortech.de](http://www.motortech.de)  
[motortech@motortech.de](mailto:motortech@motortech.de)

### MOTORTECH Americas, LLC

1400 Dealers Avenue, Suite A  
New Orleans, LA 70123  
Phone: +1 504 355 4212  
Fax: +1 504 355 4217  
[www.motortechamericas.com](http://www.motortechamericas.com)  
[info@motortechamericas.com](mailto:info@motortechamericas.com)

Distributed by:

#### Copyright

The copyright for all materials used in this MOTORTECH publication is reserved. Any kind of duplication or use of objects such as pictures or texts in other electronic or printed publications without approval by MOTORTECH is not permitted.

#### Trademark Information

MOTORTECH products and the MOTORTECH logo are registered and/or common law trademarks of MOTORTECH Holding GmbH.

All OEM names and part numbers shown are for reference purposes only. All trademarks, logos and symbols used or shown in this MOTORTECH publication are exclusive objects to the right of their owners and are used for reference purposes only.